

Although every effort is made to remain on schedule, urgent procedures often must be added or procedures may take longer than expected to complete. We thank you for your patience in advance.

Ultrasound Procedure	Patient Preparation	Length Of Procedure
<b>Abdominal</b>	Nothing to eat or drink from midnight	40 Minutes
<b>Abdomen and Pelvic</b>	Nothing to eat from Midnight. Drink 40 oz of water 2 hours prior to exam. Do not empty bladder.	1 hour
<b>Biopsy Abdominal</b>	Nothing to eat or drink from midnight. Appropriate Lab work to be completed prior to procedure. Must stop aspirin three days prior. Must stop taking any blood thinners, please consult your physician.	1 Hour After the biopsy there will be a 4-hour stay in our short stay suite.
<b>Biopsy Breast</b>	Must stop taking aspirin three days prior. If you are taking any other blood thinners, please consult your physician.	30 minutes
<b>Biopsy Chest</b>	Nothing to eat or drink from midnight. Appropriate Lab work to be completed prior to procedure. Must stop aspirin three days prior. Must stop taking any blood thinners, please consult your physician.	1 Hour After the biopsy there will be a 4-hour stay in our short stay suite.
<b>Biopsy Kidney</b>	Nothing to eat or drink from midnight. Appropriate Lab work to be completed prior to procedure. Must stop aspirin three days prior. Must stop taking any blood thinners, please consult your physician.	1 Hour After the biopsy there will be a 4-hour stay in our short stay suite.
<b>Biopsy Liver</b>	Nothing to eat or drink from midnight. Appropriate Lab work to be completed prior to procedure. Must stop aspirin three days prior. Must stop taking any blood thinners, please consult your physician.	1 Hour After the biopsy there will be a 4 hour stay in our short stay suite.
<b>Biopsy Neck/ Mass</b>	Must stop taking aspirin three days prior.	30 Minutes
<b>Breast Needle Localization</b>		30 Minutes
<b>Biopsy Thyroid</b>	Must stop taking aspirin three days prior. If you are taking any other blood thinners, please consult your physician.	30 minutes

<b>Breast</b>	None	
<b>Chest</b>	None	40 Minutes
<b>Groin/Inguinal</b>	None	40 Minutes
<b>Doppler Abdomen</b>	Nothing to eat or drink from midnight	1 hour
<b>Doppler Arterial Legs</b>	None	1 Hour
<b>Doppler Arterial Arms</b>	None	40 Minutes
<b>Doppler Venous Legs</b>	None	40 Minutes
<b>Doppler Venous Arms</b>	None	40 Minutes
<b>Extremities: Ankle Calf Elbow Finger Foot Hand Knee Shoulder</b>	None	40 Minutes
<b>Head/Neuro</b>	None	40 Minutes
<b>Kidneys/Renal</b>	None	40 Minutes
<b>Kidneys and Bladder</b>	Nothing to eat from Midnight. Drink 40 oz of water 2 hours prior to exam. Do not empty bladder.	40 Minutes
<b>Mass</b>	None	40 Minutes
<b>Neck</b>	None	40 Minutes
<b>Pelvic</b>	Drink 40 oz of water 2 hours prior to exam. Do not empty bladder.	40 Minutes
<b>Pregnancy Early</b>	Drink 40 oz of water 2 hours prior to exam. Do not empty bladder.	40 Minutes